

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-----------------|----------------------|---------------------|------------------|
| 10/718,362 | 11/20/2003 | Michael E. Caporali | L0562.70048US00 | 9518 |
| 23628 | 7590 03/08/2006 | | EXAMINER | |
| WOLF GREENFIELD & SACKS, PC FEDERAL RESERVE PLAZA | | | MILLER, JONATHAN R | |
| | TIC AVENUE | | ART UNIT | PAPER NUMBER |
| BOSTON, N | //A 02210-2206 | | 3653 | |

DATE MAILED: 03/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | |
|--|---|---|------------------|
| | 10/718,362 | CAPORALI, MICHA | EL E. |
| Office Action Summary | Examiner | Art Unit | <u> </u> |
| | Jonathan R. Miller | 3653 | |
| The MAILING DATE of this communical Period for Reply A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAI - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statute. | R REPLY IS SET TO EXPIRE 3 I LING DATE OF THIS COMMUN 37 CFR 1.136(a). In no event, however, may a cation. | MONTH(S) OR THIRTY (30 ICATION. I reply be timely filed |) DAYS, |
| Failure to reply within the set or extended period for reply will Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b). | , by statute, cause the application to become A | ABANDONED (35 U.S.C. § 133). | inunication. |
| Status | | | |
| 1) Responsive to communication(s) filed | | | |
| · | ☐ This action is non-final. | | |
| 3) Since this application is in condition for | • | • • | merits is |
| closed in accordance with the practice | under Ex parte Quayle, 1935 C. | D. 11, 453 O.G. 213. | |
| Disposition of Claims | | | |
| 4)⊠ Claim(s) 1-21 is/are pending in the app | olication. | | |
| 4a) Of the above claim(s) is/are | | | |
| 5) Claim(s) is/are allowed. | | | |
| 6)⊠ Claim(s) <u>1-21</u> is/are rejected. | | | |
| 7) Claim(s) is/are objected to. | | | |
| 8) Claim(s) are subject to restriction | n and/or election requirement. | | |
| Application Papers | | | |
| 9) The specification is objected to by the E | Examiner. | | |
| 10)⊠ The drawing(s) filed on 11/20/03 is/are: | a)⊠ accepted or b)⊡ objected | I to by the Examiner. | |
| Applicant may not request that any objection | on to the drawing(s) be held in abeya | ance. See 37 CFR 1.85(a). | |
| Replacement drawing sheet(s) including the | e correction is required if the drawin | g(s) is objected to. See 37 CFF | R 1.121(d). |
| 11) The oath or declaration is objected to b | y the Examiner. Note the attache | ed Office Action or form PTC | D-152. |
| Priority under 35 U.S.C. § 119 | | | |
| 12) Acknowledgment is made of a claim for | foreign priority under 35 U.S.C. | § 119(a)-(d) or (f). | |
| a) All b) Some * c) None of: | annamia harrata a a a a a a a a a a a a a a a a a | | |
| 1. Certified copies of the priority do | | Annlination No | |
| 2. Copies of the certified copies of | | ••• | tago |
| Copies of the certified copies of application from the Internationa | · · · · · · · · · · · · · · · · · · · | r received in this National S | ıay e |
| * See the attached detailed Office action f | | t received | |
| 222 III.2 Eliasiisa astallea eliiot actioli l | s. a not of the continue copies no | | |
| Attachment(s) | | | |
| 1) Notice of References Cited (PTO-892) | | Summary (PTO-413) | |
| Notice of Draftsperson's Patent Drawing Review (PTO 3) Information Disclosure Statement(s) (PTO-1449 or PT Paper No(s)/Mail Date 20031120. | | (s)/Mail Date Informal Patent Application (PTO- | 152) |
| S. Patent and Trademark Office TOL-326 (Rev. 7-05) | Office Action Summary | Part of Paper No./Mail Date | = 20060303 |

Application/Control Number: 10/718,362 Page 2

Art Unit: 3653

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1 –8, 14, 17 and 19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Each of the claims 1, 14, 17 and 19 have the language: "a length and width of a standard mail bin" or something to that effect. This renders the claims indefinite. What is a standard mail bin?

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1, 2, 4-10 and 12-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Ashbrook. The reference discloses a bottom defining a substantially planar surface having a length and a width (Fig. 1), wherein at least one of the length and the width substantially corresponds to at least one of a length and width of a standard mail bin; and at least one support

Art Unit: 3653

(9) projecting upright from the bottom, wherein the support is sized and configured to support flat mail in a substantially vertical orientation.

- 5. With regards to claim 2, the reference further discloses the insert comprises a lightweight material (page 1, lines 20+).
- 6. With regards to claim 4, the reference further discloses the insert comprises two supports (Fig. 1).
- 7. With regards to claim 5, the reference further discloses the bottom of the insert comprises three substantially coplanar sections which are separated from each other by the two supports, and wherein the two support have substantially triangular-shaped cross sections (Fig. 1).
- 8. With regards to claim 6, the reference further discloses the at least one support has a triangular-shaped cross section (Fig. 1).
- 9. With regards to claim 7, the reference further discloses the bottom and at least one support are created from a single piece of material (5).
- 10. With regards to claim 8, the reference further discloses the at least one support is created by folding the single piece of material (page 1, lines 20+).
- 11. With regards to claim 9, the reference further discloses at least one substantially vertical section projecting from a substantially horizontal section, wherein the insert is sized and configured to receive flat mail from an automatic mail sorter and the at least one substantially vertical section is configured to support flat mail in a substantially vertical orientation (Fig. 1).
- 12. With regards to claim 10, the reference further discloses the insert comprises a lightweight material (page 1, lines 20+).

- 13. With regards to claim 12, the reference further discloses the insert has two substantially vertical sections (Fig. 1).
- 14. With regards to claim 13, the reference further discloses the at least one substantially vertical section has a substantially triangular-shaped cross section (Fig. 1).
- 15. With regards to claim 14, the reference further discloses the insert has a length, and the length of the insert substantially corresponds to a length of a mail sorting bin (Fig. 1).
- 16. With regards to claim 15, the reference further discloses the insert comprises a single piece of material (page 1, lines 20+).
- 17. With regards to claim 16, the reference further discloses the insert is folded to create the substantially vertical sections and substantially horizontal sections (page 1, lines 20+).
- 18. With regards to claim 17, the reference further discloses the substantially vertical section has a height, and the height of the substantially vertical section approximates a height of a mail sorting bin (Fig. 1).
- 19. With regards to claim 18, the reference further discloses the insert comprises an anti-slip surface (page 1, lines 20+). What constitutes an anti-slip surface? The disclosed surface has some degree of friction and so has, to some extent, an anti-slip surface.
- 20. With regards to claim 19, the reference further discloses a base defining a substantially planar surface, wherein the base is sized to substantially cover a bottom surface of a mail sorting bin; and a plurality of substantially vertical supports attached to the base, wherein each substantially vertical support has a triangular-shaped cross section sized and configured to support flat mail in a substantially vertical orientation, and wherein the insert is configured to permit automatic sorting of flat mail into carrier walk sequence (Fig. 1).

Art Unit: 3653

21. With regards to claim 20, the reference further discloses a flat sheet, wherein the flat sheet includes a plurality of sections and a plurality of predefined fold lines, wherein two adjacent sections are separated by a predefined fold line, and wherein the predefined fold lines are arranged and configured such that when the flat sheet is folded at the predefined fold lines, the sheet forms a base and at least one upright support sized and configured to support flat mail in an upright orientation (Fig. 1; page 1, lines 20+).

- 22. With regards to claim 21, the reference further discloses the flat sheet has an upper surface and a lower surface, and wherein at least one predefined fold line permits a first section to rotate with respect to an adjacent second section in one direction, and wherein at least one predefined fold line permits a third section to rotate with respect to an adjacent fourth section in the other direction (Fig. 1; page 1, lines 20+).
- 23. Claims 1-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Lambert et al.

 The reference discloses a bottom defining a substantially planar surface (35) having a length and a width, wherein at least one of the length and the width substantially corresponds to at least one of a length and width of a standard mail bin; and at least one support (13) projecting upright from the bottom, wherein the support is sized and configured to support flat mail in a substantially vertical orientation.
- 24. With regards to claim 2, the reference further discloses the insert comprises a lightweight material (col. 3, lines 14+).
- 25. With regards to claim 3, the reference further discloses the insert comprises a material selected from the group consisting of cardboard, plastic, wood, and composites (col. 3, lines 14+).

- 26. With regards to claim 4, the reference further discloses the insert comprises two supports (Fig. 2).
- 27. With regards to claim 5, the reference further discloses the bottom of the insert comprises three substantially coplanar sections which are separated from each other by the two supports, and wherein the two support have substantially triangular-shaped cross sections (Fig. 2).
- 28. With regards to claim 6, the reference further discloses the at least one support has a triangular-shaped cross section (Fig. 2).
- 29. With regards to claim 7, the reference further discloses the bottom and at least one support are created from a single piece of material (col. 3, lines 14+).
- 30. With regards to claim 8, the reference further discloses the at least one support is created by folding the single piece of material (col. 3, lines 14+).
- 31. With regards to claim 9, the reference further discloses at least one substantially vertical section projecting from a substantially horizontal section, wherein the insert is sized and configured to receive flat mail from an automatic mail sorter and the at least one substantially vertical section is configured to support flat mail in a substantially vertical orientation (Fig. 2).
- 32. With regards to claim 10, the reference further discloses the insert comprises a lightweight material (col. 3, lines 14+).
- 33. With regards to claim 11, the reference further discloses the lightweight material is selected from the group consisting of cardboard, plastic, wood, and composites (col. 3, lines 14+).
- 34. With regards to claim 12, the reference further discloses the insert has two substantially vertical sections (Fig. 2).

- 35. With regards to claim 13, the reference further discloses the at least one substantially vertical section has a substantially triangular-shaped cross section (Fig. 2).
- 36. With regards to claim 14, the reference further discloses the insert has a length, and the length of the insert substantially corresponds to a length of a mail sorting bin (Fig. 2).
- 37. With regards to claim 15, the reference further discloses the insert comprises a single piece of material (col. 3, lines 14+).
- 38. With regards to claim 16, the reference further discloses the insert is folded to create the substantially vertical sections and substantially horizontal sections (col. 3, lines 14+).
- 39. With regards to claim 17, the reference further discloses the substantially vertical section has a height, and the height of the substantially vertical section approximates a height of a mail sorting bin (Fig. 2).
- 40. With regards to claim 18, the reference further discloses the insert comprises an anti-slip surface (col. 3, lines 14+). What constitutes an anti-slip surface? The disclosed surface has some degree of friction and so has, to some extent, an anti-slip surface.
- 41. With regards to claim 19, the reference further discloses a base defining a substantially planar surface, wherein the base is sized to substantially cover a bottom surface of a mail sorting bin; and a plurality of substantially vertical supports attached to the base, wherein each substantially vertical support has a triangular-shaped cross section sized and configured to support flat mail in a substantially vertical orientation, and wherein the insert is configured to permit automatic sorting of flat mail into carrier walk sequence (Fig. 2).
- 42. With regards to claim 20, the reference further discloses a flat sheet, wherein the flat sheet includes a plurality of sections and a plurality of predefined fold lines, wherein two

adjacent sections are separated by a predefined fold line, and wherein the predefined fold lines are arranged and configured such that when the flat sheet is folded at the predefined fold lines, the sheet forms a base and at least one upright support sized and configured to support flat mail in an upright orientation (col. 3, lines 14+).

- 43. With regards to claim 21, the reference further discloses the flat sheet has an upper surface and a lower surface, and wherein at least one predefined fold line permits a first section to rotate with respect to an adjacent second section in one direction, and wherein at least one predefined fold line permits a third section to rotate with respect to an adjacent fourth section in the other direction (col. 3, lines 14+).
- 44. Claims 1-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Henig. The reference discloses a bottom (2a) defining a substantially planar surface having a length and a width, wherein at least one of the length and the width substantially corresponds to at least one of a length and width of a standard mail bin; and at least one support (7a) projecting upright from the bottom, wherein the support is sized and configured to support flat mail in a substantially vertical orientation (Fig. 11).
- 45. With regards to claim 2, the reference further discloses the insert comprises a lightweight material (col. 7, lines 10+).
- 46. With regards to claim 3, the reference further discloses the insert comprises a material selected from the group consisting of cardboard, plastic, wood, and composites (col. 7, lines 10+).
- With regards to claim 4, the reference further discloses the insert comprises two supports 47. (Fig. 11).

Art Unit: 3653

48. With regards to claim 5, the reference further discloses the bottom of the insert comprises three substantially coplanar sections which are separated from each other by the two supports, and wherein the two support have substantially triangular-shaped cross sections (Fig. 11).

- 49. With regards to claim 6, the reference further discloses the at least one support has a triangular-shaped cross section (Fig. 11).
- 50. With regards to claim 7, the reference further discloses the bottom and at least one support are created from a single piece of material (col. 7, lines 10+).
- 51. With regards to claim 8, the reference further discloses the at least one support is created by folding the single piece of material (col. 7, lines 10+).
- 52. With regards to claim 9, the reference further discloses at least one substantially vertical section projecting from a substantially horizontal section, wherein the insert is sized and configured to receive flat mail from an automatic mail sorter and the at least one substantially vertical section is configured to support flat mail in a substantially vertical orientation (Fig. 11).
- 53. With regards to claim 10, the reference further discloses the insert comprises a lightweight material (col. 7, lines 10+).
- 54. With regards to claim 11, the reference further discloses the lightweight material is selected from the group consisting of cardboard, plastic, wood, and composites (col. 7, lines 10+).
- 55. With regards to claim 12, the reference further discloses the insert has two substantially vertical sections (Fig. 11).
- 56. With regards to claim 13, the reference further discloses the at least one substantially vertical section has a substantially triangular-shaped cross section (Fig. 11).

- 57. With regards to claim 14, the reference further discloses the insert has a length, and the length of the insert substantially corresponds to a length of a mail sorting bin (Fig. 11).
- 58. With regards to claim 15, the reference further discloses the insert comprises a single piece of material (col. 7, lines 10+).
- 59. With regards to claim 16, the reference further discloses the insert is folded to create the substantially vertical sections and substantially horizontal sections (col. 7, lines 10+).
- 60. With regards to claim 17, the reference further discloses the substantially vertical section has a height, and the height of the substantially vertical section approximates a height of a mail sorting bin (Fig. 11).
- 61. With regards to claim 18, the reference further discloses the insert comprises an anti-slip surface (col. 7, lines 10+). What constitutes an anti-slip surface? The disclosed surface has some degree of friction and so has, to some extent, an anti-slip surface.
- 62. With regards to claim 19, the reference further discloses a base defining a substantially planar surface, wherein the base is sized to substantially cover a bottom surface of a mail sorting bin; and a plurality of substantially vertical supports attached to the base, wherein each substantially vertical support has a triangular-shaped cross section sized and configured to support flat mail in a substantially vertical orientation, and wherein the insert is configured to permit automatic sorting of flat mail into carrier walk sequence (Fig. 11).
- 63. With regards to claim 20, the reference further discloses a flat sheet, wherein the flat sheet includes a plurality of sections and a plurality of predefined fold lines, wherein two adjacent sections are separated by a predefined fold line, and wherein the predefined fold lines are arranged and configured such that when the flat sheet is folded at the predefined fold lines,

the sheet forms a base and at least one upright support sized and configured to support flat mail in an upright orientation (col. 7, lines 10+).

- 64. With regards to claim 21, the reference further discloses the flat sheet has an upper surface and a lower surface, and wherein at least one predefined fold line permits a first section to rotate with respect to an adjacent second section in one direction, and wherein at least one predefined fold line permits a third section to rotate with respect to an adjacent fourth section in the other direction (col. 7, lines 10+).
- 65. Claims 1-4, 7, 9-12, 14, 15, 17 and 18 are rejected under 35 U.S.C. 102(e) as being anticipated by Stevenson. The reference discloses a bottom (30) defining a substantially planar surface having a length and a width, wherein at least one of the length and the width substantially corresponds to at least one of a length and width of a standard mail bin; and at least one support (54) projecting upright from the bottom, wherein the support is sized and configured to support flat mail in a substantially vertical orientation (Fig. 8).
- 66. With regards to claim 2, the reference further discloses the insert comprises a lightweight material (col. 3, lines 59+).
- 67. With regards to claim 3, the reference further discloses the insert comprises a material selected from the group consisting of cardboard, plastic, wood, and composites (col. 3, lines 59+).
- 68. With regards to claim 4, the reference further discloses the insert comprises two supports (Fig. 8).
- 69. With regards to claim 7, the reference further discloses the bottom and at least one support are created from a single piece of material (col. 3, lines 59+).

Art Unit: 3653

70. With regards to claim 9, the reference further discloses at least one substantially vertical section projecting from a substantially horizontal section, wherein the insert is sized and configured to receive flat mail from an automatic mail sorter and the at least one substantially vertical section is configured to support flat mail in a substantially vertical orientation (Fig. 8).

- 71. With regards to claim 10, the reference further discloses the insert comprises a lightweight material (col. 3, lines 59+).
- 72. With regards to claim 11, the reference further discloses the lightweight material is selected from the group consisting of cardboard, plastic, wood, and composites (col. 3, lines 59+).
- 73. With regards to claim 12, the reference further discloses the insert has two substantially vertical sections (Fig. 8).
- 74. With regards to claim 14, the reference further discloses the insert has a length, and the length of the insert substantially corresponds to a length of a mail sorting bin (Fig. 8).
- 75. With regards to claim 15, the reference further discloses the insert comprises a single piece of material (col. 3, lines 59+).
- 76. With regards to claim 17, the reference further discloses the substantially vertical section has a height, and the height of the substantially vertical section approximates a height of a mail sorting bin (Fig. 8).
- 77. With regards to claim 18, the reference further discloses the insert comprises an anti-slip surface (col. 3, lines 59+). What constitutes an anti-slip surface? The disclosed surface has some degree of friction and so has, to some extent, an anti-slip surface.

Art Unit: 3653

78. Claims 9 –12, 14, 17 and 18 are rejected under 35 U.S.C. 102(e) as being anticipated by Pippin et al.

- 79. With regards to claim 9, the reference further discloses at least one substantially vertical section projecting from a substantially horizontal section, wherein the insert is sized and configured to receive flat mail from an automatic mail sorter and the at least one substantially vertical section is configured to support flat mail in a substantially vertical orientation (Fig. 23).
- 80. With regards to claim 10, the reference further discloses the insert comprises a lightweight material (col. 2, lines 23+).
- 81. With regards to claim 11, the reference further discloses the lightweight material is selected from the group consisting of cardboard, plastic, wood, and composites (col. 2, lines 23+).
- 82. With regards to claim 12, the reference further discloses the insert has two substantially vertical sections (Fig. 23).
- 83. With regards to claim 14, the reference further discloses the insert has a length, and the length of the insert substantially corresponds to a length of a mail sorting bin (Fig. 23).
- 84. With regards to claim 17, the reference further discloses the substantially vertical section has a height, and the height of the substantially vertical section approximates a height of a mail sorting bin (Fig. 23).
- 85. With regards to claim 18, the reference further discloses the insert comprises an anti-slip surface (col. 2, lines 23+). What constitutes an anti-slip surface? The disclosed surface has some degree of friction and so has, to some extent, an anti-slip surface.

Application/Control Number: 10/718,362 Page 14

Art Unit: 3653

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan R. Miller whose telephone number is (571) 272-6940. The examiner can normally be reached on M-F: 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kathy A. Matecki can be reached on (571) 272-6951. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jrm

KATHY MATECKI SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600